

ecology and environment, inc.

International Specialists in the Environment

33 North Dearborn Street Chicago, Illinois 60602

Tel. 312/578-9243, Fax: 312/578-9345



MEMORANDUM

DATE:

November 5, 1996

TO:

Karen Waldron, START Project Manager, E & E,

Cleveland, Ohio

FROM:

David Hendren, START Analytical Services Manager,

E & E, Chicago, Illinois

THROUGH:

Mary Jane Ripp, Assistant START Program Manager,

E & E, Chicago, Illinois

SUBJECT:

Inorganic Data Quality Review for Nickel, Chromium, and Zinc, Dayton Electroplating, Dayton, Montgomery

County, Ohio

REFERENCE:

Project TDD S05-9609-018 Analytical TDD S05-9610-805

Project PAN 6P1801SIXX

Analytical PAN 6CAE01TA

The data quality assurance (QA) review of one solid sample collected from the Dayton Electropating site is complete. sample was collected on October 11, 1996, by the Superfund Technical Assessment and Response Team (START) contractor, Ecology and Environment, Inc. (E & E). The sample was submitted to BEC Laboratories, Inc., Toledo, Ohio. The laboratory analyses were performed according to the United States Environmental Protection Agency (U.S. EPA) Solid Waste 846 Method 6010.

Sample Identification

START Identification No.

Laboratory Identification No.

V07

96T14939

Data Qualifications:

Sample Holding Time: Acceptable I.

The sample was collected on October 11, 1996, and analyzed on October 16, 1996. This is within the 6-month holding time limit.

Dayton Electroplating Project TDD S05-9609-018 Analytical TDD S05-9610-805 Nickel, Chromium, Zinc Page 2

II. Calibration:

• <u>Initial Calibration: Acceptable</u>

Recoveries for the initial calibration verification were within 90 to 110%, as required.

• Continuing Calibration: Acceptable

All analytes included in the continuing calibration verification standard were within 90 to 110%, as required.

III. Blanks: Acceptable

Calibration and preparation blanks were analyzed with each analytical batch. No target analytes were detected in the blank.

IV. Overall Assessment of Data For Use: Acceptable

The overall usefulness of the data is based on criteria for QA Level II as outlined in the Office of Solid Waste and Emergency Response (OSWER) Directive 9360.4-01 (April 1990) Data Validation Procedures, Section 3.0, Metallic Inorganic Parameters. Based upon the information provided, the data are acceptable for use.



ecology and environment, inc.

International Specialists in the Environment

33 North Dearborn Street Chicago, Illinois 60602

Tel. 312/578-9243, Fax: 312/578-9345

MEMORANDUM

DATE:

November 5, 1996

TO:

Karen Waldron, START Project Manager, E & E,

Cleveland, Ohio

FROM:

David Hendren, START Analytical Services Manager,

E & E, Chicago, Illinois

THROUGH:

Mary Jane Ripp, Assistant START Program Manager,

E & E, Chicago, Illinois

SUBJECT:

Generic Data Quality Review for Sulfate and Chloride,

Dayton Electroplating, Dayton, Montgomery County,

Ohio

REFERENCE:

Project TDD S05-9609-018 Analytical TDD S05-9610-805

Project PAN 6P1801SIXX

Analytical PAN 6CAE01TA

The data quality assurance (QA) review of three drum liquid samples collected from the Dayton Electroplating site is complete. The samples were collected on October 11, 1996, by the Superfund Technical Assessment and Response Team (START) contractor, Ecology and Environment, Inc. (E & E). The samples were submitted to BEC Laboratories, Inc., Toledo, Ohio. The laboratory analyses were performed according to the United States Environmental Protection Agency (U.S. EPA) Solid Waste 846 Methods 9038 and 9252, for sulfate and chloride, respectively.

Sample Identification

START	Laboratory
<u>Identification No.</u>	Identification No.
D01	96T14933
D02	96T14934
D04	96T14936

Dayton Electroplating Project TDD S05-9609-018 Analytical TDD S05-9610-805 Sulfate, Chloride Page 2

Data Qualifications:

I. Sample Holding Time: Acceptable

The samples were collected on October 11, 1996, and analyzed between October 15 and 17, 1996. The Office of Solid Waste and Emergency Response (OSWER) Directive 9360.4-01 (April 1990) does not specify holding time criteria for these parameters.

II. <u>Calibration: Acceptable</u>

Method spikes and duplicates analyzed for each parameter were within acceptable limits.

III. <u>Blanks: Acceptable</u>

Method blanks for both analyses were analyzed and found acceptable.

IV. Overall Assessment of Data For Use: Acceptable

The overall usefulness of the data is based on criteria for QA Level II as outlined in the OSWER Data Validation Procedures, Section 9.0, Generic Data Validation Procedures. Based upon the information provided, the data are acceptable for use.



ecology and environment. Inc.

International Specialists in the Environment

33 North Dearborn Street Chicago, Illinois 60602

Tel. 312/578-9243, Fax: 312/578-9345

MEMORANDUM

DATE:

November 5, 1996

TO:

Karen Waldron, START Project Manager, E & E,

Cleveland, Ohio

FROM:

David Hendren, START Analytical Services Manager,

E & E, Chicago, Illinois

THROUGH:

Mary Jane Ripp, Assistant START Program Manager,

E & E, Chicago, Illinois

SUBJECT:

Generic Data Quality Review for Total and Reactive Cyanide, Dayton Electroplating, Dayton, Montgomery

County, Ohio

REFERENCE:

Project TDD S05-9609-018 Analytical TDD S05-9610-805

Project PAN 6P1801SIXX Analyti

Analytical PAN 6CAE01TA

The data quality assurance (QA) review of one solid and one liquid sample collected from the Dayton Electroplating site is complete. The samples were collected on October 11, 1996, by the Superfund Technical Assessment and Response Team (START) contractor, Ecology and Environment, Inc. (E & E). The samples were submitted to BEC Laboratories, Inc., Toledo, Ohio. The laboratory analyses were performed according to the United States Environmental Protection Agency (U.S. EPA) Solid Waste 846 Methods 9010 and 7.3.3.2.

Sample Identification

START
Identification No.

Laboratory Identification No.

V08 D11 96T14940 96T14943

Data Qualifications:

I. Sample Holding Time: Acceptable

The samples were collected on October 11, 1996, and analyzed on October 15 and 16, 1996. This is within the 14-day holding time limit.

Dayton Electroplating Project TDD S05-9609-018 Analytical TDD S05-9610-805 Total and Reactive Cyanide Page 2

II. <u>Calibration: Acceptable</u>

The recovery of the total cyanide method spike was slightly below the 85 to 115% limit. Due to the high level of cyanide detected in the samples, qualification was not judged to be necessary. The recovery of the reactive cyanide method spike was low and is typical of this analysis.

III. Blanks: Acceptable

Blanks were analyzed with each analyses and were free of analytes.

IV. Overall Assessment of Data For Use: Acceptable

The overall usefulness of the data is based on criteria for QA Level II as outlined in the Office of Solid Waste and Emergency Response (OSWER) Directive 9360.4-01 (April 1990) Data Validation Procedures, Section 9.0, Generic Data Validation Procedures. Based upon the information provided, the data are acceptable for use.



ecology and environment, inc.

International Specialists in the Environment

33 North Dearborn Street Chicago, Illinois 60602

Tel. 312/578-9243, Fax: 312/578-9345

MEMORANDUM

DATE:

November 5, 1996

TO:

Karen Waldron, START Project Manager, E & E,

Cleveland, Ohio

FROM:

David Hendren, START Analytical Services Manager,

E & E, Chicago, Illinois

THROUGH:

Mary Jane Ripp, Assistant START Program Manager,

E & E, Chicago, Illinois

SUBJECT:

Generic Data Quality Review for pH and Flash Point,

Dayton Electroplating, Dayton, Montgomery County,

Ohio

REFERENCE:

Project TDD S05-9609-018 Analytical TDD S05-9610-805

Project PAN 6P1801SIXX

Analytical PAN 6CAE01TA

The data quality assurance (QA) review of nine waste liquid samples collected from the Dayton Electroplating site is complete. The samples were collected on October 11, 1996, by the Superfund Technical Assessment and Response Team (START) contractor, Ecology and Environment, Inc. (E & E). The samples were submitted to BEC Laboratories, Inc., Toledo, Ohio. The laboratory analyses were performed according to the United States Environmental Protection Agency (U.S. EPA) Solid Waste 846 Methods 9040 and 1020.

Sample Identification

START <u>Identification No.</u>	Laboratory <u>Identification No</u>
D01	96T14933
D02	96T14934
D03	96T14935
D04	96 T 14936
V05	96T14937
V06	96T14938
V09	96T14941
D10	96T14942
V12	96T14944

Dayton Electroplating Project TDD S05-9609-018 Analytical TDD S05-9610-805 pH, Flash Point Page 2

Data Qualifications:

I. Sample Holding Time: Acceptable

The samples were collected on October 11, 1996, and were analyzed on October 15, 1996. The Office of Solid Waste and Emergency Response (OSWER) Directive 9360.4-01 (April 1990) does not specify holding times for these criteria.

II. <u>Calibration: Acceptable</u>

The pH meter was calibrated using three buffered solutions and the flash point was checked by analysis of p-xylene. Both analyses were found to be acceptable.

III. Overall Assessment of Data For Use: Acceptable

The overall usefulness of the data is based on criteria for QA Level II as outlined in the OSWER Data Validation Procedures, Section 9.0, Generic Data Validation Procedures. Based upon the information provided, the data are acceptable for use.

Cleveland, OH 44130 ATTN: Dave Hendren

> HEADQUARTERS/LABORATORY 705 FRONT STREET TOLEDO, OHIO 43605 PHONE: (419) 693-5307 FAX: (419) 691-0418

ENVIRONMENTAL LABORATORY 1632 ENTERPRISE PARKWAY TWINSBURG, OHIO 44087 PHONE: (216) 425-8200 FAX: (216) 425-1349

lab no.	
	96 T14 933

p.o. no.

rev: 0

SAMPLE

DESCRIPTION: Project # KJ5100 - S05-9610-805 - grab - liquid - Drum 01 - Room 1 -

Station # D01 - 10/11/96 @ 1000

RESULTS:

ANALYTE

METHOD

RESULT

Sulfate

SW-846, 9038

820,000 mg/Kg

pH in 10% S.U.

EPA-600, 150.1

less than 1 *

* Due to the characteristics of the sample it was necessary to add water for pH determination.

date completed: 10/16/96

CSY All reports are submitted as confidential communications, Authorization for dupile

tech:

approved by:

approval, as a mutual protection

Cleveland, OH 44130 ATTN: Dave Hendren

> HEADQUARTERS/LABORATORY 705 FRONT STREET TOLEDO, OHIO 43605 PHONE: (419) 693-5307 FAX: (419) 691-0418

ENVIRONMENTAL LABORATORY 1632 ENTERPRISE PARKWAY TWINSBURG, OHIO 44087 PHONE: (216) 425-8200 FAX: (216) 425-1349 96T14934 p.o. no.

rev: 0

SAMPLE

DESCRIPTION: Project # KJ5100 - S05-9610-805 - grab - liquid - Drum 02 - Room 1 -

Station # DO2 - 10/11/96 @ 1010

RESULTS:

ANALYTE

METHOD

RESULT

pH in 10% S.U.

SW-846, 9040

less than 1 *

Total Chloride

SW-846, 9252

380,000 mg/L

* Due to sample characteristics it was necessary to add water for the pH determination.

date completed: 10/18/96

tech:

CSY/GJB

are submitted as confidential communications. Authorization for duplication in whole or in part is rest

approved by:

Cleveland, OH 44130 ATTN: Dave Hendren

> HEADQUARTERS/LABORATORY 705 FRONT STREET TOLEDO, OHIO 43605 PHONE: (419) 693-5307 FAX: (419) 691-0418

ENVIRONMENTAL LABORATORY 1632 ENTERPRISE PARKWAY TWINSBURG, OHIO 44087 PHONE: (216) 425-8200 FAX: (216) 425-1349 96T14935

rev: 0

SAMPLE

DESCRIPTION: Project # KJ5100 - S05-9610-805 - grab - liquid - Drum 03 - Room 1 -

Station # D03 - 10/11/96 @ 1012

RESULTS:

ANALYTE

METHOD

RESULT

pH in 10% S.U.

SW-846, 9040A

greater than 13 *

* Due to the characteristics of the sample it was necessary to add water for the pH determination.

date completed: 10/15/96

tech:

CSY

approved by:

pending our written arroragi as a mutual protecti

Cleveland, OH 44130 ATTN: Dave Hendren



ENVIRONMENTAL LABORATORY 1632 ENTERPRISE PARKWAY TWINSBURG, OHIO 44087 PHONE: (216) 425-8200 FAX: (216) 425-1349

96T14936 p.o. no.

rev: 0

SAMPLE

DESCRIPTION: Project # KJ5100 - S05-9610-805 - grab - liquid - Drum 04 - Room 1 -

Station # D04 - 10/11/96 @ 1015

RESULTS:

ANALYTE

METHOD

RESULT

pH in 10% S.U.

EPA-600, 150.1

11.67 *

Total Chloride

SW-846, 9252

170,000 mg/L

* Due to sample characteristics it was necessary to add water for the pH determination.

date completed: 10/15/96

tech: CSY/GJB

attend as confidential communications. Authorization for dublication

approved by:

ending our written approval, as a mutual protection

Cleveland, OH 44130 ATTN: Dave Hendren

> **HEADQUARTERS/LABORATORY** 705 FRONT STREET TOLEDO, OHIO 43605 PHONE: (419) 693-5307 FAX: (419) 691-0418

ENVIRONMENTAL LABORATORY 1632 ENTERPRISE PARKWAY TWINSBURG, OHIO 44087 PHONE: (216) 425-8200 FAX: (216) 425-1349

lab no. 96T14937 p.o. no.

rev: 0

SAMPLE

DESCRIPTION: Project # KJ5100 - S05-9610-805 - grab - liquid - Vat 05 - Room 1 -

Station # V05 - 10/11/96 @ 1018

RESULTS:

ANALYTE

METHOD

RESULT

pH in 10% S.U.

SW-846, 9040A

12.67 *

* Due to the characteristics of the sample it was necessary to add water for the pH determination.

date completed: tech: approved by 10/15/96 CSY as a mutual protection

are submitted as confidential communications. Authorization for duplication

Cleveland, OH 44130 ATTN: Dave Hendren



ENVIRONMENTAL LABORATORY 1632 ENTERPRISE PARKWAY TWINSBURG, OHIO 44087 PHONE: (216) 425-8200 FAX: (216) 425-1349

lab no.	
}	96 T14 938
D.O. DO	

rev: 0

SAMPLE

.....

DESCRIPTION: Project # KJ5100 - S05-9610-805 - grab - liquid - Vat 06 - Room 1 -

Station # V06 - 10/11/96 @ 1021

RESULTS:

ANALYTE

METHOD

RESULT

pH in 10% S.U.

SW-846, 9040A

less than 1 *

* Due to the characteristics of the sample it was necessary to add water for the pH determination.

date completed: 10/15/96

tech: CSY

All reports are submitted as confidential communications. Authorization for duplication in whole or in part is reserved.

approved by:

our written approval, as a mutual protection

Cleveland, OH 44130 ATTN: Dave Hendren

> HEADQUARTERS/LABORATORY 705 FRONT STREET TOLEDO, OHIO 43605 PHONE: (419) 693-5307 FAX: (419) 691-0418

ENVIRONMENTAL LABORATORY 1632 ENTERPRISE PARKWAY TWINSBURG, OHIO 44087 PHONE: (216) 425-8200 FAX: (216) 425-1349

lab no.	96T14939	
p.o. no.		_

pproval, as a mutual protection

rev: 0

SAMPLE

DESCRIPTION: Project # KJ5100 - S05-9610-805 - grab - solid - Vat 07 - Room 1 -

Station # V07 - 10/11/96 @ 1025

RESULTS:

ANALYTE	METHOD	RESULT
Total Chromium	SW-846, 6010A	49 mg/Kg
Total Nickel	SW-846, 6010A	43 mg/Kg
Total Zinc	SW-846, 6010A	10,000 mg/Kg

date completed: tech: approved by: Authority approved by: Authority

All reports are submitted as confidential communications. Authorization for duplication in whole or in part is refer

Cleveland, OH 44130 ATTN: Dave Hendren



ENVIRONMENTAL LABORATORY 1632 ENTERPRISE PARKWAY TWINSBURG, OHIO 44087 PHONE: (216) 425-8200 FAX: (216) 425-1349

lab no.		
	96T14940	
p.o. no.		

rev: 0

SAMPLE

DESCRIPTION: Project # KJ5100 - S05-9610-805 - grab - liquid - Vat 08 - Room 2 -

Station # V08 - 10/11/96 @ 1115

RESULTS:

ANALYTE RESULT METHOD

Total Cyanide SW-846, 9010 6500 mg/Kg

Reactive Cyanide SW-846, 7.3.3.2 less than 0.1 mg/Kg

date completed: 10/16/96 tech: CSY/LMV approved by:

as a mutual protection All reports are submitted as confidential communications. Authorization for duplication in whole or in part is reser

Cleveland, OH 44130 ATTN: Dave Hendren



ENVIRONMENTAL LABORATORY 1632 ENTERPRISE PARKWAY TWINSBURG, OHIO 44087 PHONE: (216) 425-8200 FAX: (216) 425-1349

lab no.		-
	96T14941	
p.o. no.		•

rev: 0

SAMPLE

DESCRIPTION: Project # KJ5100 - S05-9610-805 - grab - liquid - Vat 09 - Room 2 -

Station # V09 - 10/11/96 @ 1120

RESULTS:

ANALYTE

METHOD

RESULT

pH in 10% S.U.

SW-846, 9040A

less than 1 *

* Due to the characteristics of the sample it was necessary to add water for the pH determination.

date completed: tech: approved by: CSY

All reports are submitted as confidential communications. Authorization for duplication in whole or in part is reserved Asending our written applicable, as a mutual protection.

Cleveland, OH 44130 ATTN: Dave Hendren



HEADQUARTERS/LABORATORY 705 FRONT STREET TOLEDO, OHIO 43605 PHONE: (419) 693-5307 FAX: (419) 691-0418 ENVIRONMENTAL LABORATORY 1632 ENTERPRISE PARKWAY TWINSBURG, OHIO 44087 PHONE: (216) 425-8200 FAX: (216) 425-1349 96T14942 p.o. no.

rev: 0

SAMPLE

DESCRIPTION: Project # KJ5100 - S05-9610-805 - grab - liquid - Drum 10 - Room 3 -

Station # D10 - 10/11/96 @ 1130

RESULTS:

ANALYTE

METHOD

RESULT

Flash Point - SETAFLASH

SW-846, 1020

less than 74°F

date completed:
10/15/96
LMV
approved by:

approved by:

All reports are submitted as confidential communications. Authorization for duplication in whole or in part is reserved pending our written approved, as a mutual protection

Cleveland, OH 44130 ATTN: Dave Hendren

> HEADQUARTERS/LABORATORY 705 FRONT STREET TOLEDO, OHIO 43605 PHONE: (419) 693-5307 FAX: (419) 691-0418

ENVIRONMENTAL LABORATORY 1632 ENTERPRISE PARKWAY TWINSBURG, OHIO 44087 PHONE: (216) 425-8200 FAX: (216) 425-1349 96T14943 p.o. no.

oval, as a mutual protection.

rev: 0

SAMPLE

DESCRIPTION: Project # KJ5100 - S05-9610-805 - grab - solid - Drum 11 - Room 3 -

Station # D11 - 10/11/96 @ 1145

RESULTS:

<u>ANALYTE</u> <u>METHOD</u>

RESULT

Total Cyanide

SW-846, 9010

53,000 mg/Kg

Reactive Cyanide

SW-846, 7.3.3.2

470 mg/Kg

date completed: tech: approved by: approved by:

All reports are submitted as confidential communications. Authorization for duplication in whole or in part is reserved.

Cleveland, OH 44130 ATTN: Dave Hendren

> HEADQUARTERS/LABORATORY 705 FRONT STREET TOLEDO, OHIO 43605 PHONE: (419) 693-5307 FAX: (419) 691-0418

ENVIRONMENTAL LABORATORY 1632 ENTERPRISE PARKWAY TWINSBURG, OHIO 44087 PHONE: (216) 425-8200 FAX: (216) 425-1349 lab no.

96T14944

p.o. no.

rev: 0

SAMPLE

DESCRIPTION: Project # KJ5100 - S05-9610-805 - grab - liquid - Vat 12 - Room 3 -

Station # V12 - 10/11/96 @ 1200

RESULTS:

ANALYTE

METHOD

RESULT

pH in 10% S.U.

SW-846, 9040A

less than 1 *

* Due to the characteristics of the sample it was necessary to add water for the pH determination.

date completed:

10/15/96

CSY

submitted as confidential communications. Authorization for duplication in whole or in part is reserved.

tech:

approved by:

ending our written approval, as a mutual protection